

Dr. Fixit Unicure SS

SILICATES BASE, CONCRETE CURING COMPOUND

Description

Dr. Fixit Unicure SS is a silicate-based concrete curing compound to apply on well-cured dry. It is absorptive concrete to improve concrete surface density & reduce dusting and can apply on both vertical & horizontal angle.

Dr. Fixit Unicure SS be apply forms a glassy crystalline layer within concrete air pockets, sealing up air pocket. It is reduce concrete curing moisture evaporation rate and to complete concrete hydration developing optimum concrete strength.

Area of Application

- Well-cured Dry Absorptive Concrete, Concrete Floor, Concrete Structure

Rate of Uses

*** Theoretical consumption without allowance for loss.**

7 m² / ltr.

Method of Application

1 Mixing

- Dr. Fixit UniCure SS** is a ready to use product, for best result stir content thoroughly before use.

2 Application

- Surface to applied must be free from oil, paint, coating and ponding water
- Spray Dr. Fixit UniCure SS as evenly as possible over the freshly laid concrete as soon as possible after final trowelling or no ponding water on concrete surface or after remove form work. In case of spray equipment is not available; apply by soft brush or roller.
- Apply at an even coverage rate not over than 7 m² per litre.

3 Cleaning

- All equipment should be clean with water immediately after use.

Precautions & Limitations

- Color of Dr. Fixit UniCure SS will be fade out & disappear with in 7 day, for over coverage will take longer time or cause of white powder film on the concrete surface

Technical Information

Properties	Standard/Test Method	Results
General Appearance	TIS 841-2548 (2005)	Clear Blue liquid
Density @30 °C	-	1.02
Coating ability	TIS 841-2548 (2005)	Pass
Non-Volatile Content (%)	TIS 841-2548 (2005)	12.24 %
Water retention, Kg/m ²	TIS 841-2548 (2005)	1.46 Kg/m ²
Drying time	TIS 841-2548 (2005)	Pass

Dr. Fixit Unicure SS

SILICATES BASE, CONCRETE CURING COMPOUND

Packing: 200 ltr.

Storage

- Store in temperature lower than 40 ° C and avoid to exposure to direct sunlight
- Maximum 1 year in un-open container

Disclaimer

The product information and the recommendations relating to the application and end-use of Dr.Fixit products, are based on Dr.Fixit's current knowledge and experience of the products when properly stored, handled and applied under normal conditions in accordance with Dr.Fixit's recommendations. In practice, the differences in materials, substrates and actual site conditions are such that no warranty in respect of merchantability or of fitness for a particular purpose, nor any liability arising out of any legal relationship whatsoever, can be inferred either from this information, or from any written recommendations, or from any other advice offered. The user of the product must test the product's suitability for the intended application and purpose. Dr.Fixit reserves the right to change the properties of its products without notice, so the company does not assume liability of any legal from this product information.



Pidilite Bamco Limited (A group company of Pidilite Industries Ltd.)
699 Modernform Tower 15,17 FL., Srinakarin Rd., Pattanakarn, Suan Luang, Bangkok 10250, THAILAND.
T. +662 722-8535 F. +662 722-8381
Website: www.dr-fixit.co.th
E-mail: sales@pidilitebamco.com
Helpline Call +662 722 8535 #101